

Reg No.: _____

Name: _____

APJ ABDUL KALAM TECHNOLOGICAL UNIVERSITY

B.Tech Degree S6 (S,FE) (FT/WP/S4 PT) Examination December 2025 (2019 Scheme)

Course Code: CET302**Course Name: STRUCTURAL ANALYSIS-II**

Max. Marks: 100

Duration: 3 Hours


PART A*Answer all questions, each carries 3 marks.*

Marks

- | | | |
|----|---|-----|
| 1 | Derive an expression for the shape factor of a rectangular cross section. | (3) |
| 2 | Differentiate between elastic and plastic analysis of structures. | (3) |
| 3 | What is the relationship between stiffness and flexibility matrix | (3) |
| 4 | What are the assumptions made in the portal method of analysis for horizontal loads? | (3) |
| 5 | Write down the properties of stiffness matrix. | (3) |
| 6 | List the main steps involved in the stiffness method of structural analysis. | (3) |
| 7 | Differentiate between local coordinates and global coordinates | (3) |
| 8 | What are the advantages of direct stiffness matrix method of analysis over stiffness matrix method of analysis? | (3) |
| 9 | Explain the components of the basic dynamic system. | (3) |
| 10 | State and explain D'Alembert's principle. | (3) |


PART B*Answer one full question from each module, each carries 14 marks.***Module I**

- 11 a) Determine the plastic moment carrying capacity M_p for the continuous beam shown in figure below. Assume uniform section throughout. (14)

**OR**


- 12 a) In a multi-storeyed building, the frame shown is spaced at 4m intervals. Dead load from the slab is 3kN/m^2 and the live load is 4kN/m^2 . Analyse the beam BC for (14)

maximum mid span bending moment by substitute frame method. Self-weight of the beams may be ignored. EI is constant throughout.



Module II


- 13 a) Analyse the frame for lateral loads using portal method.



(14)

OR


- 14 a) Analyse the continuous beam shown in figure below by flexibility method and draw the BMD.



(14)


Module III

- 15 a) Determine the end moments for the frame shown in figure below by stiffness method. (14)



OR


- 16 a) Derive the stiffness matrix of a pin jointed two-dimensional frame element, inclined at θ to x axis. (8)
- b) Find the stiffness matrix for the truss shown in figure. Area of cross section $=1000\text{mm}^2$ and modulus of elasticity $=200\text{kN/mm}^2$



(6)

Module IV

- 17 a) Analyse the continuous beam shown in figure by direct stiffness method and draw the Bending moment diagram.



(14)

OR

- 18 a) Discuss the procedure of Direct Stiffness Method in the matrix analysis. (6)
- b) Derive the local stiffness matrix for a two-noded beam element, having four degrees of freedom $v_1, \theta_1, v_2, \theta_2$. (8)

Module V

- 19 a) Derive the equations for response of SDOF system subjected to damped free (14)

vibration in 'x' direction with inertia constant m , spring constant k and damping constant c . Draw the response diagram also.

OR

- 20 a) Differentiate between steady state and transient vibration (6)
b) Explain (i) logarithmic decrement (ii) Damping ratio and (iii) Critical damping (8)
(iv) magnification factor
